



MARIPOSA COUNTY

Health • (209) 966-3689



RESOLUTION - ACTION REQUESTED 2017-39

MEETING: January 24, 2017

TO: The Board of Supervisors

FROM: Eric Sergienko, Health Officer

RE: Onsite Wastewater Treatment Systems Rules and Regulations

RECOMMENDATION AND JUSTIFICATION:

Approve revisions to the Health Department sewage disposal rules as submitted.

The Local Area Management Program (LAMP) is required to be referenced in either county code or rules adopted pursuant to county code before the State's Regional Water Quality Control Board will approve the county's LAMP. The recommended action includes that change as well as a few other changes required by the State and a few changes to bring the rules into alignment with standard practices in the field.

BACKGROUND AND HISTORY OF BOARD ACTIONS: Resolution 84-360 was the original resolution adopting these rules. Resolution 96-41 amended the rules by adding Appendix D.

ALTERNATIVES AND CONSEQUENCES OF NEGATIVE ACTION:

Do not approve the changes to the rules and The County's LAMP will not be approved by the RWQCB and we will have to begin following the prescriptive standards in tier 1 of the Water Board policy on On-site sewage disposal starting May 13, 2018.

ATTACHMENTS:

Rules_and_Regs revised2017_v3.2 (PDF)

CAO RECOMMENDATION

Requested Action Recommended


Dallin Kimble, Interim CAO 1/19/2017

RESULT: ADOPTED [UNANIMOUS]

MOVER: Rosemarie Smallcombe, District I Supervisor

SECONDER: Merlin Jones, District II Supervisor

AYES: Menetrey, Smallcombe, Jones, Long, Cann